

<b>HYDRANT NO:</b>	
--------------------	--

### Section A – Applicant Details

<b>Name of Applicant:</b>		<b>Date:</b>	
<b>Postal Address:</b>			
<b>Mobile:</b>		<b>Email:</b>	

### Section B – Application Details

<b>Reason for Hydrant:</b>			
<b>Location required:</b>			
<b>Date required:</b>		<b>Period required:</b>	
<b>Cost of Water:</b>	\$7.40 / kL (GST free)		

### Section C – Charges

Standard Hydrant Charge (GST free)	\$210.20
Daily Fee _____ days @ \$104.45 per day	\$
Total Charges	\$

The standard hydrant charge of \$210.20 and a \$104.45 daily fee will apply for the period of use stated by the applicant. Each additional day's usage in excess of the stated period will incur a charge of \$104.45 per day. Applicants must read and meet all conditions on the reverse of this form before a hydrant will be issued. Aqwest requests that hydrant use be conducted between the hours of 8.00am and 4.00pm unless other arrangements have been made with the Networks Supervisor on (08) 9780 9500.

\_\_\_\_\_  
**Applicant Signature**

### Section D – For internal use only

<b>Application:</b>	<b>Approved</b>	<b>Denied</b>	<b>Date:</b>		<b>Signature:</b>	
<b>Date Issued:</b>				<b>Reading:</b>		
<b>Date Returned:</b>				<b>Reading:</b>		
<b>Total Water Used:</b>	kL's			<b>Signature:</b>		

### Section E – Terms & Conditions for Hiring of Hydrant

1. Permission to extract large quantities of water from Aqwest’s water mains may be granted at the discretion of Aqwest.
2. Responsibility for any damage to Aqwest’s equipment will be borne by the applicant.
3. Aqwest approved backflow to be used.
4. Hydrant supplied water is not permitted to be resold as potable water.
5. Provide details of intended water use below:

### Section F – Final Charges - For internal use only

Charges			Processing	
Standard Hydrant Charge:		\$210.20		
Daily Fee @ \$104.45:	Days	\$	<b>Refund:</b>	
			<b>Invoice:</b>	
Water Usage @ \$7.40:	kL’s	\$	<b>Date:</b>	
			<b>Signature:</b>	
Sub Total:		\$		
Less Paid:		\$		
Total:	Debit	\$		
	Credit			