

DATASHEET

# Taubmans 3 in 1 Prep

# TAUBMANS

Product Code:  
108100



## Taubmans 3 in 1 Prep

Taubmans 3 in 1 is a high performance, universal preparatory 100% acrylic product. This all purpose primer, sealer and undercoat is suitable for both interior and exterior applications. It has outstanding hiding, filling and sanding properties and promotes adhesion to glossy enamel surfaces without sanding.

## USES

Sealer, primer and undercoat for interior and exterior surfaces

## FEATURES AND BENEFITS

<b>HIGH OPACITY</b>	Excellent hiding properties.
<b>EASY TO APPLY</b>	Holds a wet edge longer to minimise lap marks and create a smooth uniform finish.
<b>INTERNAL AND EXTERNAL</b>	Suitable for use in internal and external areas
<b>FLEXIBLE</b>	Withstands normal substrate movements
<b>FAST DRYING</b>	Assist project completion timelines with fast drying properties
<b>AUSTRALIAN MADE</b>	Our Aussie Heritage: Since our inception over a century ago, we've been proudly manufacturing paint on our Aussie shores. We're proud to be an Australian manufacturing success, with plants in Villawood NSW, and Clayton VIC.
<b>AUSTRALIAN STANDARD</b>	AS3730.18, AS3730.23
<b>ADVANCED FLOW MODIFIERS</b>	Promotes ease of application, good flow properties and minimal roller splatter
<b>APAS NUMBER</b>	APAS 0172
<b>ACRYLIC BINDER</b>	Superior adhesion, flexibility, gloss retention & durability
<b>STAIN BLOCKER</b>	Excellent stain suppressing and sealing qualities. Effectively seals stains and provides a sound surface for top coats

## DATASHEET

**WATER BASED FORMULA** Easy clean up with water

## PRODUCT SPECIFICATIONS

<b>CLEAN UP</b>	Water
<b>DRY FILM THICKNESS</b>	25 - 30 microns
<b>WET FILM THICKNESS</b>	60 - 65 microns
<b>GLOSS LEVEL</b>	1-2 (% at a 60 degree angle)
<b>VOC LEVELS</b>	56g/Litre. Meets GBC requirement
<b>DRY TIMES: TOUCH DRY</b>	30 mins
<b>DRY TIMES: RECOAT</b>	2 hours
<b>500ML AVAILABLE SIZES</b>	500ml
<b>1L AVAILABLE SIZES</b>	1l
<b>2L AVAILABLE SIZES</b>	2l
<b>4L AVAILABLE SIZES</b>	4l
<b>10L AVAILABLE SIZES</b>	10l
<b>15L AVAILABLE SIZES</b>	15l
<b>SDS</b>	SDS available from the Taubmans Website <a href="http://taubmans.com.au">taubmans.com.au</a>

## SURFACE PREPARATION

<b>PREPARATION</b>	New/Bare Work  Surfaces must be clean and dry before painting. Dust down bare wallboards and interior timber. New concrete and cement render must be allowed to cure for 28 days before painting. Weathered timber must be sanded back to a sound surface.
<b>AFTER PAINTING</b>	Avoid exposure to steam for 48 hours. Surface may be washed after 7 days, but always avoid abrasive cleaners.

## APPLICATION

<b>STIRRING</b>	Stir paint with a wide flat stirrer in a circular lifting motion for at least 5 minutes before use. It is a requirement to stir paint before use to ensure that the colour tints are dispersed evenly throughout the paint. Continue stirring at regular intervals during application. Where more than one can of the same colour and product is required for a job, mix the contents of all the cans together to ensure colour consistency
<b>BRUSH, ROLLER, SPRAY</b>	Apply 1 or 2 coats (as per recommendation) by roller, brush or spray gun, with 2 hours between each coat. Paint the corners and edges with a narrow brush. Roll up to the edges using a quality synthetic or lambswool 10 - 12mm nap roller.

## DATASHEET

<b>NAP ROLLER</b>	A 10mm regular nap cover or similar will give best results.
<b>CURING</b>	Avoid exposure to steam and condensation for 48 hours after painting.
<b>COVERAGE</b>	Up to 16m <sup>2</sup> /litre. Coverage will be lower on rough or absorbent surfaces, typically 10m <sup>2</sup> /litre on new paperfaced plasterboards.
<b>APPLICATION TEMPERATURE MINIMUM DEGREES CELCIUS</b>	10
<b>APPLICATION TEMPERATURE MAXIMUM DEGREES CELCIUS</b>	35
<b>COATS REQUIRED</b>	One

## PRECAUTIONS

<b>GENERAL SAFETY INFORMATION</b>	Store in original container protected from direct sunlight in a dry, cool and well-ventilated area. Do not store below 5 deg C temperature. Keep containers sealed when not in use
<b>FIRST AID INFORMATION</b>	IF SWALLOWED - Do NOT induce vomiting. Seek medical advice immediately. EYE CONTACT - Flush with plenty of water. Always seek medical advice. SKIN CONTACT - Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water. INHALATION - Remove to fresh air, seek medical advice if breathing is laboured. AUSTRALIA - 24 hour Medical Emergency Response Service: 1800 883 254 Taubmans Customer Service: 131 686 Further information: <a href="http://www.taubmans.com.au">www.taubmans.com.au</a>
<b>ENVIRONMENT INFORMATION</b>	Do not pour leftover paint down the drain. Dispose of contents and container in accordance with all local, regional, national and international regulations. For responsible disposal of paint and packaging visit <a href="http://paintback.com.au">paintback.com.au</a>

## DISCLAIMER

Any information provided by PPG Industries Australia Pty Ltd and its related entities relating to PPG products or their use and application (for example, information contained in a PPG paint system, Specification, or Data Sheet) is accurate and reliable at the time of publication. However, such information is general in nature. You must ensure that the information is current and suitable for the specific conditions for your project. If you need technical information for your circumstances, you should contact Taubmans Customer Service. PPG Industries Australia Pty Ltd and its related entities are not liable for any loss (including indirect, special or consequential loss, or loss of profits), expense, or damage suffered in connection with (a) such information, or (b) any information provided by a third party (including where that information is provided on a PPG website). Nothing in this disclaimer restricts, excludes or modifies or purports to restrict, exclude or modify any statutory rights under any applicable law including the Competition and Consumer Act 2010 (Cth) or the operation of any express guarantee.

## CUSTOMER SERVICE/COMPANY CONTACT

Taubmans Customer Service: 131 686 Further information: [www.taubmans.com.au](http://www.taubmans.com.au)